

TECHNICAL SPECIFICATION

FIBER OPTIC INLINE ENCLOSURE MODEL IMY


IP68 Inline Enclosures are suitable to protect fiber optic cable splices in branching applications. The outer injection mould body makes it impenetrable to elements. Romatecsans Model IMY can hold up to 96 splices.



Protection grade	IP68
Material	Modified Polymer Plastic
Seal Material	Vulcanized Silicone Rubber
Dimensions (mm)	533*209*104
Type of seal	Mechanical
Weight (kg)	3.4 ~ 4.2
Cable entries (mm)	Φ 10 ~ 20
Operating Temperature (°C)	-40°C ~ +60°C
Packing	1 box of 580*480*430 : 6 units

Installation Methods


Direct Buried



Aerial



Pipe-lined



ORDERING INFORMATION

Model	Fibers
IMY	48
	72
	96

HONG KONG

Romatecsans International Limited
7/F., Catic Building, No. 44 Tsun Yip
Street, Kowloon, Hong Kong
Tel. +852 8199 9706
asia@romatecsans.com

CHILE

Importadora y Exportadora Romatecsans Ltda.
Carmen Farina 6758, Vitacura,
Santiago, Chile
Tel.: +56 22 9797 922
ventas@romatecsans.com

sales@romatecsans.com
www.romatecsans.com

