

FIBER OPTIC DOME ENCLOSURE MODEL MMV

IP68 Dome Enclosures are suitable to protect fiber optic cable splices in branching applications. The outer injection moulded body makes it impenetrable to elements. Romatecsans Model MMV can hold up to 72 splices.



Protection grade	IP68
Material	Modified Polymer Plastic
Seal Material	Vulcanized Silicone Rubber
Dimensions (mm)	436*Φ143
Type of seal	Heat shrink
Weight (kg)	3.2 ~ 3.5
Operating Temperature (°C)	-40°C ~ +60°C
Packing	1 box of 470*400*360 : 4 units

Cable entries (mm)		
		Φ 5 ~ 9 cable output
		Φ 8 ~ 17.5 cable output (2pcs)
		Φ 10 ~ 20 uncut input

ORDERING INFORMATION

Model	Fibers
MMV	48
	60
	72

HONG KONG

Romatecsans International Limited
7/F., Catic Building, No. 44 Tsun Yip
Street, Kowloon, Hong Kong
Tel. +852 8199 9706
asia@romatecsans.com

CHILE

Importadora y Exportadora Romatecsans Ltda.
Carmen Farina 6758, Vitacura,
Santiago, Chile
Tel.: +56 22 9797 922
ventas@romatecsans.com

sales@romatecsans.com
www.romatecsans.com

